



MOBILE INDUCTION HEATER

QUICK AND SAFE HEATING FOR WORKSHOPS AND PRODUCTION



DHI0044 LKW is a portable workshop induction heater with integrated water cooling for the induction heater and replaceable induction coil extenders. By default, the device has a 2mtr burner with a side (focusing) coil. Other induction coil types are designed as additional accessories and are intended for various types of heating of ferromagnetic and conductive materials. Focusing coils are intended to heat materials by application.

The induction heater DHI0044 has a number of innovative features for efficient and quick heating of bolts, nuts, shafts, bearings, sections, round steel, sheets, etc. This unit has a fluent power control with a range of 10-100% and a clear display showing presets and readings.

Besides, it has a timer for simply selecting desired heating time, which combined with the controlled power mode enables relati-vely accurate and repeatable heating with controlled heat introduction, i.e., heating to a set temperature. USB connector ready for potential software upgrades of the DHI0044.

Its high power capacity, small dimensions and light weight make the it ideal for workshops, car repair shops, general repairs, production, maintenance. A significant advantage of this induction heater compared to other heating methods is its safety, simplicity and high speed of heating and application, particularly compared to flame heating. One of the main advantages however is that the use of the DHI0044 induction heater is clean and environmentally friendly.

TECHNICAL PARAMETERS	DHI0044
Power supply requirements [V]	230 (180–265)
Frequency [Hz]	50/60
Consumption [A]	16
Protective system	IP22
Working frequency [kHz]	18 – 60
Output control (CP mode) [%]	10 – 100 % z P _{max} , fluent
Induction burner length [m]	2
Input power [kW]	3,5
Output ind. power [kVA]	3,5
Power factor for 100% output	1
Dimensions [mm]	240 x 200 x 440
Weight [kg]	13,5
Coolant capacity [I]	2,5







EN

DHI0044







MOBILE INDUCTION HEATER

JSES

QUICK AND SAFE HEATING FOR WORKSHOPS AND PRODUCTION

- Mobility weight only 13.5 kg, including water cooling,
- · small dimensions size of a small welding machine.
- · Output 3.5 kVA, respectively, high loading factor.
- · Easy use burner length 2 m.
- Flexibility and ease of use connects anywhere, power supply 1x 230 V, easy and quick preparation.
- Versatile uses of pre-heating for shaped, flat, circular, positioned or standard components.
- · Modern and affordable method of workshop heating.

- Automotive, railway and shipbuilding industry, production, mechanical, servicing workshops, repair shops, assembly plants, heating and plumbing, home workshops, etc.
- · Production, repair, renovation, maintenance.
- · Workshops requiring heating of bolts, round steel, sections, sheets, bearings, bushes, drive shafts, hinges, nuts, pipes, cogwheels, bearing mountings, shafts, lambda probes, parts and components of machines and cars, exhaust systems, belt pulleys, sleeves, etc.
- · Heating tools and parts for hardening, gluing, soldering.
- · Defrosting.
- · Same applications as gas and oxy acetylene burners.

EQUIPMENT:

- Smooth power adjustment 10-100 %
- · Timer and factory settings features
- · USB for software upgrades
- · Constant heating power (CP) mode

SUPPORTED TECHNOLOGIES:

DHS3 Heating Control System 3

BIPT Boost Induction Power Technology DIPA Dynamic Induction Power Adjust **QST** Quiet Cooling Technology

Automatic Check And Monitor System **ACMS**

DFU Device Firmware Update





Order no.	Description
BIH0101	Grip extender
BIH0102	Focus coil, inclined
BIH0103	Focus coil, side
BIH0104	Focus coil, straight
BIH0110	Focus coil, round
BIH1003	Coolant 3 Ltr







Tel: 01302 710868 | Email@ info@jhmbuttco.com | Web: jhmbuttco.com Brunel Industrial Estate | Brunel Close | Harworth | Doncaster | DN11 8QA

